

## Section 1 – Identification of the Material and Supplier

<b>Siegel Pty Ltd</b>	<b>P:</b> +61 2 4858 1771
<b>7 Lackey Road</b>	<b>M:</b> +61 437 550 160
<b>Moss Vale, NSW, 2577</b>	<b>F:</b> +61 2 4869 3031
	<b>W:</b> siegeladhesives.com

<b>Chemical Nature:</b>	Single Component MS Polymer Adhesive
<b>Trade Name:</b>	SiegelBond PRO98
<b>Product Use:</b>	Timber Flooring Adhesive
<b>Creation Date:</b>	September 2025
<b>This version was issued:</b>	September 2025 and is valid for 5 years from this date
<b>Poisons Information Centre:</b>	Call 13 11 26 from anywhere in Australia

## Section 2 – Hazards Identification

### 2.1 Classification of the substance or mixture

Classification	H-Code
Reproductive toxicity, Category 2	H361d

### 2.2 Label elements

Pictogram(s):



Signal Word: Warning

H-Code	Hazard Statements
H361d	Suspected of damaging the unborn child.

P-Code	Precautionary Statements
P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing/eye protection.
P405	Store locked up.

Hazard ingredients (labelling):
Methanol (0,15 %)

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 2,6 %.

### 2.3 Other hazards

The product hydrolyses under formation of methanol (CAS-Nr. 67-56-1). Methanol is classified concerning both physical and health hazards. The hydrolysis rate and consequently the relevance for the hazard profile of the product is strongly dependent on the specific conditions. Endocrine disrupting properties - human health: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties - environment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Section 3 – Composition & Information on Ingredients

**3.1 Substances**  
not applicable

**3.2 Mixtures**

**3.2.1 Chemical characteristics**  
silane-terminated polyether + auxiliary + filler

**3.2.2 Hazardous ingredients**

Type	CAS No.	Substance	Content %
INHA	1317-65-3	Calcium carbonate	≥50 – <60
INHA	25322-69-4	Polypropyleneglycol	≥15 – <20
INHA	2768-02-7	trimethoxyvinylsilane	≥1 – <3
VERU	67-56-1	Methanol	≥0,1 – <0,2
INHA	41556-26-7	Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate	≥0,1 – <0,2

Type: INHA: ingredient, VERU: impurity

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57) in amounts above ≥ 0.1%.

### Section 4 – First Aid Measures

**4.1 Description of first aid measures**

**General information:**

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

**After contact with the eyes:**

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

**After contact with the skin:**

Wipe off excess material with cloth or paper. Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

**After inhalation:**

Material cannot be inhaled under normal conditions.

**After swallowing:**

Give several small portions of water to drink. Do not induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Any relevant information can be found in other parts of this section.

**4.3 Indication of any immediate medical attention and special treatment needed**

Further toxicology information in section 11 must be observed.

## Section 5 – Fire Fighting Measures

---

### 5.1 Extinguishing media

**Suitable extinguishing media:**

alcohol-resistant foam, carbon dioxide, water mist, sprinkler system, sand, extinguishing powder.

**Extinguishing media which must not be used for safety reasons:**

water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes.

### 5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

## Section 6 – Accidental Release Measures

---

### 6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. If material is released indicate risk of slipping. Do not walk through spilled material.

### 6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.

### 6.3 Methods and material for containment and cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

**Further information:**

Exhaust vapours. Eliminate all sources of ignition. Consider explosion protection. Observe notes under section 7.

### 6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

## Section 7 – Handling and Storage

---

### 7.1 Precautions for safe handling

**General information:**

Avoid exposure by technical measures or personal protective equipment.

**Precautions for safe handling:**

Ensure adequate ventilation. Must be syphoned off in situ. Keep away from incompatible substances in accordance with section 10. Observe information in section 8.

**Precautions against fire and explosion:**

Product can separate methanol. Flammable vapours may accumulate and form explosive mixtures with air in containers, process vessels, including partial, empty and uncleaned containers and vessels, or other enclosed spaces. Keep away from sources of ignition and do not smoke. Take precautionary measures against electrostatic charging. Cool endangered containers with water.

### 7.2 Conditions for safe storage, including any incompatibilities

**Conditions for storage rooms and vessels:**

Observe local/state/federal regulations.

**Advice for storage of incompatible materials:**

Observe local/state/federal regulations.

**Further information for storage:**

Store in a dry and cool place. Protect against moisture. Store container in a well ventilated place.

### 7.3 Specific end use(s)

No data available.

## **Section 8 – Exposure Controls and Personal Protection**

---

### **8.1 Control parameters**

### **8.2 Exposure controls**

#### **8.2.1 Exposure in the work place limited and controlled**

##### **General protection and hygiene measures:**

Avoid exposure - obtain special instructions before use. Observe standard industrial hygiene practices for the handling of chemical substances. Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols. Use with adequate ventilation. Keep away from foodstuff, drink and feeding stuff. Preventive skin protection recommended. Wash hands at the end of work and before eating. Keep working clothes separately. Remove contaminated, soaked clothing immediately. Clean work areas regularly. Provide emergency shower and eye-bath. Do not eat, drink or smoke when handling.

Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

##### **Personal protection equipment:**

##### **Respiratory protection**

If inhalative exposure above the occupational exposure limit cannot be excluded, adequate respiratory protection equipment must be used. Suitable respiratory equipment: Respirator with a full face mask, according to acknowledged standards such as EN 136.

Recommended Filter type: Gas filter type ABEK (certain inorganic, organic and acidic gases and vapours; ammonia/amines), according to acknowledged standards such as EN 14387

Observe the equipment manufacturer's information and wear time limits for respirators.

##### **Eye protection**

tight fitting protective goggles, according to acknowledged standards such as EN 166.

##### **Hand protection**

Protective gloves are required at all times when handling the material, according to recognized standards such as EN374.

Recommended glove types: Protective gloves made of butyl rubber  
thickness of the material: > 0,3 mm

Breakthrough time: > 480 min

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

##### **Skin protection**

protective clothing, according to acknowledged standards such as EN 13034.

#### **8.2.2 Exposure to the environment limited and controlled**

Prevent material from entering surface waters, drains or sewers and soil.

## Section 9 – Physical and Chemical Properties

<b>9.1</b>	<b>Information on basic physical and chemical properties</b>		
	<b>Property:</b>	<b>Value:</b>	<b>Method:</b>
	<b>Appearance</b>		
	Physical state .....	liquid	
	Form .....	paste	
	Colour .....	beige	
	<b>Odour</b>		
	Odour .....	almost odourless	
	<b>Odour limit</b>		
	Odour limit .....	no data available	
	<b>pH-Value</b>		
	pH-Value .....	Not applicable. Insoluble in water.	
	<b>Melting point/freezing point</b>		
	Melting point / melting range .....	not applicable	
	<b>Initial boiling point and boiling range</b>		
	Boiling point / boiling range .....	not applicable	
	<b>Flash point</b>		
	Flash point .....	not applicable	
	<b>Evaporation rate</b>		
	Evaporation rate .....	no data available	
	<b>Upper/lower flammability or explosive limits</b>		
	Lower explosion limit (LEL) .....	exempt	
	Upper explosion limit (UEL) .....	exempt	
	<b>Vapour pressure</b>		
	Vapour pressure .....	exempt	
	<b>Solubility(ies)</b>		
	Water solubility / miscibility .....	insoluble	
	<b>Vapour density</b>		
	Relative gas/vapour density .....	no data available	
	<b>Relative Density</b>		
	Relative Density .....	1,56 (23 °C)	(ISO 1183-1 A)
		(Water / 4 °C = 1,00)	
	Density .....	1,56 g/cm <sup>3</sup> (23 °C)	(ISO 1183-1 A)
	<b>Partition coefficient: n-octanol/water</b>		
	Partition coefficient: n-octanol/water .....	not applicable	
	<b>Auto-ignition temperature</b>		
	Ignition temperature .....	> 200 °C	(not specified)
	<b>Decomposition temperature</b>		
	Thermal decomposition .....	no data available	
	<b>Viscosity</b>		
	Viscosity (dynamic) .....	70000 - 100000 mPa.s at 23 °C	(Brookfield)
	Viscosity (kinematic) .....	no data available	
	<b>Particle Size Distribution</b>		
	Particle Size Distribution .....	Not applicable.	
	<b>Molecular mass</b>		
	Molecular mass .....	not applicable	
<b>9.2</b>	<b>Other information</b>		
	Hydrolysis products reduce the flash point. Explosion limits for released methanol: 5.5 - 44%(V).		

## Section 10 – Stability and Reactivity

### 10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

### 10.4 Conditions to avoid

Moisture, heat, open flames, and other sources of ignition.

### 10.5 Incompatible materials

Reacts with water, basic substances and acids. The reaction takes place with the formation of methanol.

### 10.6 Hazardous decomposition products

Methanol by hydrolysis. Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

## Section 11 – Toxicological Information

### 11.1 Information on toxicological effects

#### 11.1.1 General information

Data derived for the product as a whole are of higher priority than data for single ingredients.

#### 11.1.2 Acute toxicity

##### Product details:

Exposure routes	Result/Effect
Oral	LD50 > 2000 mg/kg Species: Rat, Source: Conclusion by analogy
dermal	LD50 > 2000 mg/kg Species: Rat, Source: Conclusion by analogy

#### 11.1.3 Skin corrosion/irritation

##### Product details:

No skin irritation  
(Species: Rabbit, Source: Conclusion by analogy)

#### 11.1.4 Serious eye damage/eye irritation

##### Product details:

No eye irritation  
(Species: Rabbit, Source: Conclusion by analogy)

#### 11.1.5 Respiratory or skin sensitisation

##### Product details:

Exposure routes	Result
Skin contact	Does not cause skin sensitisation. (Species: Mouse, Test system: Local lymph node assay (LLNA), Method: OECD 429, Source: Conclusion by analogy)
Inhalation	No data available.

#### 11.1.6 Germ cell mutagenicity

##### Assessment:

For this endpoint no toxicological test data is available for the whole product.

**11.1.7 Carcinogenicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.8 Reproductive toxicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.9 Specific target organ toxicity - single exposure****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.10 Specific target organ toxicity - repeated exposure****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.11 Aspiration hazard****Assessment:**

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**11.2.2 Further toxicological information**

None known.

**Data on substances:****Product of hydrolysis (Methanol):**

Methanol (CAS 67-56-1) is readily and rapidly absorbed at all exposure routes and is toxic by all routes. Methanol may cause irritation of the mucosa, as well as nausea, vomiting, headaches, vertigo and visual disorders, including blindness (irreversible damage to the optic nerve), acidosis, spasms, narcosis and coma. There may be a delay in the onset of these effects after exposure.

## Section 12 – Ecological Information

---

### 12.1 Toxicity

**Assessment:**

For the product as a whole, no test data is available.

### 12.2 Persistence and degradability

**Assessment:**

Polymer component: biologically not degradable. Elimination by adsorption to activated sludge.

**Data on substances:****Product of hydrolysis (Methanol):**

Methanol is readily biodegradable.

### 12.3 Bioaccumulative potential

**Assessment:**

Polymer component: No adverse effects expected.

### 12.4 Mobility in soil

**Assessment:**

Polymer component: insoluble in water.

### 12.5 Results of PBT and vPvB assessment

No data available.

### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

none known

## Section 13 – Disposal Considerations

---

### 13.1 Waste treatment methods

#### 13.1.1 Material

**Recommendation:**

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

#### 13.1.2 Uncleaned packaging

**Recommendation:**

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

## Section 14 – Transport Information

---

### 14.1 UN number or ID number

ADR .....: Not applicable  
 RID .....: Not applicable  
 IMDG .....: Not applicable  
 ICAO/IATA .....: Not applicable

### 14.2 Proper shipping name

ADR .....: Not applicable  
 RID .....: Not applicable  
 IMDG .....: Not applicable  
 ICAO/IATA .....: Not applicable

### 14.3 Transport hazard class

ADR .....: Not applicable  
 RID .....: Not applicable  
 IMDG .....: Not applicable  
 ICAO/IATA .....: Not applicable

### 14.4 Packing group

ADR .....: Not applicable  
 RID .....: Not applicable  
 IMDG .....: Not applicable  
 ICAO/IATA .....: Not applicable

### 14.5 Environmental hazards

Environmentally hazardous: no

### 14.6 Special precautions for user

Relevant information in other sections has to be considered

### 14.7 Maritime transport in bulk according to IMO instruments

Bulk transport in tankers is not intended.

**Section 15 – Regulatory Information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

Group Standard

HSNO Approval Number	Title
HSR002503	Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020

**15.2 Details of international registration status**

Relevant information about individual substance inventories, where available, is given below.

Japan .....: ENCS (Handbook of Existing and New Chemical Substances):

This product is not listed or in compliance with the substance inventory.

New Zealand .....: NZIoC (New Zealand Inventory of Chemicals):

This product is listed in, or complies with, the substance inventory. (For a correct interpretation of the New Zealand status, additional information like GHS classification or Group Standard is required.)

Australia .....: AIIC (Australian Inventory of Industrial Chemicals):

This product is not listed or in compliance with the substance inventory.

China .....: IECSC (Inventory of Existing Chemical Substances in China):

This product is not listed or in compliance with the substance inventory.

Canada .....: DSL (Domestic Substance List):

This product is not listed or in compliance with the substance inventory.

Philippines .....: PICCS (Philippine Inventory of Chemicals and Chemical Substances):

This product is not listed or in compliance with the substance inventory.

United States of America (USA) .....: TSCA (Toxic Substance Control Act Chemical Substance Inventory):

This product is not listed or in compliance with the substance inventory.

Taiwan .....: TCSI (Taiwan Chemical Substance Inventory):

This product is not listed or in compliance with the substance inventory.

European Economic Area (EEA) .....: REACH (Regulation (EC) No 1907/2006):

General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA by customers or other downstream users must be fulfilled by the latter.

South Korea (Republic of Korea) .....: AREC (Act on Registration and Evaluation of Chemicals; "K-REACH"):

Please approach your regular contact for more detailed information.

**Section 16 – Other Information**

---

**16.1 Material**

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

Siegel restricts the use of its products inside the human body or in contact with bodily fluids and mucosa.

**16.2 Further information:**

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

Classification	Rationale:
Reproductive toxicity, Category 2	Calculation method

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE. IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY, SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.  
This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011)

---

[www.siegeladhesives.com](http://www.siegeladhesives.com)

**Siegel Adhesives**

Phone: 1300 729 863  
+61 2 4858 1771  
Fax: +61 2 4869 3031  
[technical@siegeladhesives.com](mailto:technical@siegeladhesives.com)

**Australian Head Office**

Lv.6 / 10 Herb Elliott Ave  
Sydney Olympic Park  
NSW 2127  
Australia

**New Zealand Head Office**

40 Onehunga Mall  
Onehunga  
Auckland 1061  
New Zealand